


ALGEBRA

MODULE 4

LEARNING FACILITATOR'S MANUAL



# MATHEMATICS 7



Alberta  
EDUCATION

AL.2.1992-414  
C.2

University of Alberta Library



0 1620 3681798 7





CANADIANA

AUG 26 1992

# Mathematics 7

## Module 4: Algebra

### LEARNING FACILITATOR'S MANUAL

## Note

This Mathematics Learning Facilitator's Manual contains answers to teacher-assessed assignments and the final test; therefore, it should be kept secure by the teacher. Students should not have access to these assignments or the final tests until they are assigned in a supervised situation. The answers should be stored securely by the teacher at all times.

Mathematics 7  
Learning Facilitator's Manual  
Module 4  
Algebra  
Alberta Distance Learning Centre  
ISBN No. 0-7741-0137-7

### ALL RIGHTS RESERVED

Copyright © 1991, the Crown in Right of Alberta, as represented by the Minister of Education, Alberta Education 11160 Jasper Avenue, Edmonton, Alberta, T5K 0L2. All rights reserved. Additional copies may be obtained from the Learning Resources Distributing Centre.

No part of this courseware may be reproduced in any form including photocopying (unless otherwise indicated), without the written permission of Alberta Education.

Every effort has been made both to provide proper acknowledgement of the original source and to comply with copyright law. If cases are identified where this has not been done, please notify Alberta Education so appropriate corrective action can be taken.

## Acknowledgements

### Project Manager

Linda Cox, Alberta Distance Learning Centre (formerly Alberta Correspondence School)

### Curriculum Validator

Merv Lastiwka, Edmonton Public Schools District No. 7

### Contributors

Lynda Antoniuk, Edmonton Public Schools District No. 7  
Sharon Kratky, Edmonton Public Schools District No. 7  
Susan Ludwig, Edmonton Roman Catholic Separate School District No. 7  
Carolyn Martin, Edmonton Roman Catholic Separate School District No. 7  
Bill Peterson, Alberta Distance Learning Centre  
Richard Robinson, Alberta Distance Learning Centre  
Bryan Sosnowski, Edmonton Public Schools District No. 7  
Jim Williams, Edmonton Public Schools District No. 7

Rod Buga, Edmonton Roman Catholic Separate School District No. 7  
Ralph Lee, Edmonton Public Schools District No. 7  
Wendy Lukawesky, Edmonton Public Schools District No. 7  
Dennis McCarthy, Alberta Distance Learning Centre  
Lucy Piard, Alberta Distance Learning Centre  
Joe Symak, Alberta Distance Learning Centre  
Peter Tymkow, Alberta Distance Learning Centre  
Marie Hauk, University of Alberta






## MODULE INTRODUCTION

### What Lies Ahead

In this introduction the student will learn the meaning of the term algebra. The student will also learn a little background about the history of algebra.


### Gathering Materials

For the Module Introduction the student will need the following item.



### Guiding the Student

- Have the student turn to the Module Introduction in the Module Booklet and read "Working Together."
- Next have the student preview the Module Booklet for Module 4.



Digitized by the Internet Archive  
in 2016 with funding from  
University of Alberta Libraries

[https://archive.org/details/mathematics704albe\\_0](https://archive.org/details/mathematics704albe_0)





## GETTING SET

### What Lies Ahead

This section will pre-test the skills taught in the module to determine the student's strengths and weaknesses.

### Gathering Materials

The student will need these items for this section.



- base 10 blocks
- cylinders (Use the cardboard cylinders in rolls of toilet paper, paper towel, etc.)
- cut-out equation scale and operation cards in appendix of this booklet

These learning aids will all be used several times in the module so do not discard them.

### Guiding the Student

- Have the student turn to Section 1 in the Module Booklet, and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Next, have the student view the video or read the notes.

- Then have the student do the pretest independently.
- Afterwards help the student check the answers. Further directions are on the page following the answers. It is **not** necessary for the student to correct any errors.

# Suggested Answers


## Pretest

1. Translate each English phrase into a mathematical expression:
  - a. four bottles plus six bottles
  - b. six metres less than twice the width
2. Use learnings aids (cylinders, operation cards, and base 10 blocks) to do the following:
  - a. Model  $y + 4$  and evaluate if  $y = 5$ .


1. a.  $4 + 6$

b.  $2w - 6$

2. a. Model  $y + 4$ .



If  $y = 5$ , replace the cylinders with 5 units.




The result is 9.



- b. Model  $3z - 1$  and evaluate if  $z = 2$ .

- b. Model  $3z - 1$ .



If  $z = 2$ , replace each cylinder with 2 units.



The result is 5.






- c. Model  $2a^2 + 7$  and evaluate if  $a = 3$ .

- c. Model  $2a^2 + 7$ .



and

If  $a = 3$ , replace each cylinder with  $3^2$ ,  $3 \times 3$  or 9.



and

The result is 25.



3. Without using learning aids do the following

a. Evaluate  $3 + 4c$  if  $c = 5$ .

3. a. If  $c = 5$ , then  $3 + 4c$

$$= 3 + 4 \times 5$$

$$= 3 + 20$$

$$= 23$$

b. Evaluate  $2d - 1$  if  $d = 1.2$ .

b. If  $d = 1.2$ , then  $2d - 1$

$$= 2 \times (1.2) - 1$$

$$= 2.4 - 1$$

$$= 1.4$$

c. Evaluate  $3(s + t)$  if  $s = 2$  and  $t = 4$ .

c. If  $s = 2$  and  $t = 4$ , then  $3(s + t)$

$$= 3(2 + 4)$$

$$= 3(6)$$

$$= 18$$

d. Evaluate  $3xy$  if  $x = 0.1$  and  $y = 0.4$ .

d. If  $x = 0.1$  and  $y = 0.4$ , then  $3xy$

$$= (3)(0.1)(0.4)$$

$$= 0.12$$

4. What do the equal signs (=) signal in each of the following?

a.  $6 \times 2 - 1 = 11$

4. a.  $6 \times 2 - 1 = 11$

indicates to find the value of the expression

b.  $\frac{4}{5} = 0.8$

b.  $\frac{4}{5} = 0.8$

indicates the two numbers are different forms of the same number

c.  $7 + 5 = 3 \times 4 - 1$

c.  $7 + 5 = 3 \times 4 - 1$


indicates the two expressions are identical in value



5. Are the following equations? Model each, and then answer "yes" or "no."

a.  $3 \times 2 = 8 - 1$

5. a. Model  $3 \times 2 = 8 - 1$ .



Simplify each side.




The scale is not balanced. (The LSH = 9 and the RHS = 7.)

So this is not an equation.

b.  $5 + 4 + 3 = 3 \times 4$

b. Model  $5 + 4 + 3 = 3 \times 4$ .



Simplify each side.



The scale is balanced. (The LHS = 12 and the RHS = 12.)

So this is an equation.

6. Translate each English sentence into an equation:

a. Five centimetres plus eight centimetres results in thirteen centimetres.

b. Joseph's age minus four years is eight years.


6. a.  $5 + 8 = 13$

b.  $a - 4 = 8$


7. Use learning aids (the cut-out scale in the appendix, operation cards, base 10 blocks and cylinders) to do the following:

- a. Model  $y + 2 = 9$ . Then solve the equation and verify the solution.

7. a. Model  $y + 2 = 9$ .



Use guess and check methods to discover the value of  $y$ . Try  $y = 7$  and check.




The scale is balanced. (The value of each side is 9.)

So  $y = 7$ .




- b. Model  $5r + 3 = 13$ . Then solve the equation and verify the solution.

- b. Model  $5r + 3 = 13$ .



Use guess and check methods to discover the value of  $r$ . Try  $r = 2$  and check.



The scale is balanced. (The value of each side is 13.)

So  $r = 2$ .

8. Solve these equations and verify the solutions. Do not use learning aids.

a.  $a - 2 = 8$

8. a. To solve  $a - 2 = 8$ , think

What number minus 2 is 8?

$\boxed{10} - 2 = 8$

$a = 10$

Check

LHS	RHS
$a - 2$	8
$= 10 - 2$	
$= 8$	

LHS = RHS

So  $a = 10$ .

b.  $3b = 27$

- b. To solve  $3b = 27$ , think

3 times what number is 27?

$3 \times \boxed{9} = 27$

$b = 9$

Check

LHS	RHS
$3b$	27
$= 3 \times 9$	
$= 27$	

LHS = RHS

So  $b = 9$ .

c.  $2c + 9 = 17$

c. To solve  $2c + 9 = 17$ , think

9 more than 2 times  
what number is 17?

$$2 \times \boxed{4} + 9 = 17$$

$$c = 4$$

**Check**

LHS	RHS
$2c + 9$	17
$= 2 \times 4 + 9$	
$= 8 + 9$	
$= 17$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } c = 4.$$

d.  $4d + 1 = 2.16$

d. To solve  $4d + 1 = 2.6$ , think

1 more than 4 times  
what number is 2.6?

$$4 \times \boxed{0.4} + 1 = 2.6$$

$$d = 0.4$$

**Check**

LHS	RHS
$4d + 1$	2.6
$= 4 \times 0.4 + 1$	
$= 1.6 + 1$	
$= 2.6$	


$$\text{LHS} = \text{RHS}$$

$$\text{So } d = 0.4.$$



9. Plot the following

- a.  $(2, 5)$
- b.  $(3, 7)$
- c.  $(-2, 4)$
- d.  $(-1, -5)$
- e.  $(0, 3)$



10. Jerrit unpacks cans in boxes at a grocery store.

Number of boxes ( <i>b</i> )	Relation	Number of cans ( <i>c</i> )
1	$12 - 1$	12
2	$12 - 2$	24
3	$12 - 3$	36
4	$12 - 4$	48
5	$12 - 5$	60

Describe the relationship several ways:


- a. Use words to describe the relationship.
- b. Write an equation to describe the relationship.
- c. Use order pairs to describe the relationship.
- d. Use number lines to describe the relationship.

10. a. The number of cans is 12 times the number of boxes.

b.  $c = 12b$


- c. (1,12), (2,24), (3,36), (4,48), (5,60)

d. Number lines will vary. Here is one example.



- e. Use a graph to describe the relationship.

e.



## Guiding the Student

After checking the answers, compare the student's results with the following chart. (The chart lists the skills covered

in the Pretest and the section in which the skill will be taught.)

Question	Skill	Section
1	Using variables and expressions to describe practical situations	2
2	Using learning aids to model and evaluate mathematical expressions	3
3	Evaluating expressions for given values of the variables	4
4,5	Understanding concept of equality and equation	5
6	Using equations to describe practical situations	6
7	Using learning aids to model equations, solve equations and verify the solution	6
8	Solving equations by guessing and checking	7
9	Plotting points on a grid	8
10	Describing relations	8

Help the student to decide what to do next. It is recommended that the student does most of the sections which correspond to the questions with which the student

experienced difficulties and only the concluding activities in sections which correspond to the questions with which the student experienced success.




## WRITING EXPRESSIONS

### What Lies Ahead

In this section the student will translate English words and phrases into mathematical expressions.

### Gathering Materials

The student will need this item for this section.



### Guiding the Student

- Have the student turn to Section 2 of the Module Booklet, and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Introductory Activities**

**Suggested Answers**

Translate each English phrase into a mathematical expression.

- |   |                                    |
|---|------------------------------------|
| 1. seven baseballs increased by nine baseballs                      | 1. $7 + 9$                         |
| 2. the difference between nine poodles and six poodles              | 2. $9 - 6$                         |
| 3. five groups of fifteen children                                  | 3. $5 \times 15$                   |
| 4. forty-eight pizzas divided by sixteen people                     | 4. $48 \div 16$ or $\frac{48}{16}$ |
| 5. three years more than the difference of five years and two years | 5. $5 - 2 + 3$                     |
| 6. thirty-two tapes decreased by eight groups of three tapes        | 6. $32 - 8 \times 3$               |

**Guiding the Student**

- Have the student read “Working Together” and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Practice Activities****Computer Alternative**

1. Do Lesson 3 on the Pre-Algebra disk of the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).
2. Do Lesson 4 on the Pre-algebra disk of the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).

**Print Alternative**

3. Translate the following situations into algebraic expressions.
  - a. Marc's age increased by 2
  - b. five times the distance from Muriel's house to school
  - c. half the price of the car
  - d. a number squared
  - e. three less than the length
3. a.  $a + 2$
- b.  $5d$
- c.  $\frac{1}{2}p$
- d.  $n^2$
- e.  $\ell - 3$

**Note**

Different variables may be used.

**Suggested Answers**

4. Translate each of the following situations into an algebraic expression:

a. twice Omar's salary plus three dollars

$$\begin{array}{l} \text{4. a. } 2s + 3 \\ \text{or} \\ 3 + 2s \end{array}$$

b. one less than two-thirds of a number

$$\text{b. } \frac{2}{3}n - 1$$

c. four more than one-half of the distance

$$\text{c. } \frac{1}{2}d + 4$$

or

$$4 + \frac{1}{2}d$$

d. the difference between eight and a number squared

$$\text{d. } 8 - n^2$$

e. three more than twice Jason's mass

$$\text{e. } 3 + 2m$$

or

$$2m + 3$$

### Note

Different variables may be used.

### Guiding the Student

- Have the student do the Concluding Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.



### Concluding Activities

- Read the following phrases aloud.
  - three times four, less two
  - three times, four less two
  - the sum of two, and five times three
  - the sum of two and five, times three
- How did you translate the commas when you read the phrases in question 1?
- Mathematicians sometimes use parentheses to show order of operations. Translate each of the expressions in question 1 into a mathematical expression.

### Suggested Answers



These phrases are read aloud on the companion audio-cassette.

- The student should pause at the comma.
- $(3 \times 4) - 2$
  - $3(4 - 2)$   
 or  
 $3 \times (4 - 2)$
  - $2 + (5 \times 3)$
  - $(2 + 5)(3)$   
 or  
 $3(2 + 5)$   
 or  
 $(2 + 5) \times 3$   
 or  
 $3 \times (2 + 5)$

4. Translate each of the following into a mathematical or an algebraic expression:

a. sixteen times, two plus a number

b. sixteen times two, plus a number

c. four times the length, plus eight centimetres

d. four times, the length plus eight centimetres

4. a.  $16(2 + n)$

b.  $(16 \times 2) + n$

c.  $4\ell + 8$

d.  $4(\ell + 8)$

### Note

Different variables may be used.

5. Remember subtraction is sometimes translated in a different order. Translate the following:

a. the difference of three, and two times a number

b. the difference of three and two, times a number

c. three less than four, times a number

d. three less than, four times a number

5. a.  $3 - 2n$

b.  $(3 - 2)n$

c.  $(4 - 3)n$

d.  $4n - 3$

### Note

Different variables may be used.


## MODELING EXPRESSIONS

### What Lies Ahead

In this section the student will use learning aids to model algebraic expressions and evaluate them.

### Gathering Materials

The student will need these items for this section.



- base 10 blocks
- cylinders
- cut-out cards from appendix to indicate addition or subtraction


### Guiding the Student

- Have the student turn to Section 3 of the Module Booklet, and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

# Introductory Activities


Use cardboard cylinders from rolls of paper towel or rolls of toilet paper, or use cans to represent variables. Use the "and" and "take away" cards from the cut outs in the appendix to indicate addition and subtraction. Use the units from the base ten blocks to represent the numbers that are given.

1. a. Model  $x + 5$ .



- b. Evaluate  $x + 5$  if  $x = 3$ .

- b. To evaluate  $x + 5$  if  $x = 3$ , replace the cylinder with 3.



The result is 8.




# Suggested Answers



- c. Evaluate  $x + 5$  if  $x = 10$ .

- c. To evaluate  $x + 5$  if  $x = 10$ , replace the cylinder with 10.




The result is 15.



2. a. Model  $y - 2$ .

2. a. Model  $y - 2$ .



- b. Evaluate  $y - 2$  if  $y = 5$ .



The result is 3.



- c. Evaluate  $y - 2$  if  $y = 4$ .



The result is 2.



### Guiding the Student


- Have the student read the notes and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

Practice Activities

Suggested Answers


Use cylinders to represent the variables. Use “and” and “take away” cards to indicate the operation. Use the units from base 10 blocks to represent the numbers that are given.

1. a. Model  $3a - 2$ .



b. Evaluate  $3a - 2$  if  $a = 5$ .

b. To evaluate  $3a - 2$  if  $a = 5$ , replace each  $a$  with 5.




The result is 13.



- c. Evaluate  $3a - 2$  if  $a = 2$ .

- c. To evaluate  $3a - 2$  if  $a = 2$ , replace each  $a$  with 2.




The result is 4.




2. a. Model  $5 + 2b$ .

2. a. Model  $5 + 2b$ .



- b. Evaluate  $5 + 2b$  if  $b = 3$ .

- b. To evaluate if  $b = 3$ , replace each cylinder with 3.



The result is 12.





- c. Evaluate  $5 + 2b$  if  $b = 0$ .

- c. To evaluate if  $b = 0$ , replace each cylinder with 0.




The result is 5.




3. a. Model  $d^2 + 4$ .

3. a. Model  $d^2 + 4$ .



- b. Evaluate  $d^2 + 4$  if  $d = 5$ .


- b. To evaluate if  $d = 5$ , replace each cylinder with  $5^2$ , or 25.



The result is 29.



- c. Evaluate  $d^2 + 4$  if  $d = 3$ .




- c. To evaluate if  $d = 3$ , replace each cylinder with  $3^2$  or 9.

The result is 13.




4. a. Model  $2x^2 - 1$ .




b. Evaluate  $2x^2 - 1$  if  $x = 4$ .

b. To evaluate if  $x = 4$ , replace each cylinder with  $4^2$ ,  $4 \times 4$ , or 16.




The result is 31.




c. Evaluate  $2x^2 - 1$  if  $x = 6$ .



c. To evaluate if  $x = 6$ , replace each cylinder with  $6^2$ ,  $6 \times 6$ , or 36.



The result is 71.





5. a. Model  $2(3d - 1)$ .



- b. Evaluate  $2(3d - 1)$  if  $d = 5$ .

- b. To evaluate if  $d = 5$ , replace each cylinder with 5.





The result is 22.



- c. Evaluate  $2(3d - 1)$  if  $d = 2$ .

- c. To evaluate if  $d = 2$ , replace each cylinder with 2.



The result is 10.



### Guiding the Student


- Have the student read “Working Together” and do the Concluding Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.



## Concluding Activities

Use cylinders to represent the variables. Use the “and” and “take away” cards to indicate the operation. Use the units from base 10 blocks to represent the numbers that are given.

1. a. Model  $a + 3b$ .



- b. Evaluate  $a + 3b$  if  $a = 1$  and  $b = 2$ .

- b. To evaluate if  $a = 1$  and  $b = 2$ , replace  $a$  with 1 and  $b$  with 2.



The result is 7.



c. Evaluate  $a + 3b$  if  $a = 2$  and  $b = 1$ .


c. To evaluate if  $a = 2$  and  $b = 1$ , replace  $a$  with 2 and  $b$  with 1.



The result is 5.




2. a. Model  $2a + 3ab$ .



- b. Evaluate  $2a + 3ab$  if  $a = 2$  and  $b = 5$ .

- b. To evaluate  $2a + 3ab$  if  $a = 2$  and  $b = 5$ , replace  $a$  with 2 and  $ab$  with  $2 \times 5$ , 2 groups of 5 or 10.




The result is 34.




- c. Evaluate  $2a + 3ab$  if  $a = 5$  and  $b = 2$ .


- c. To evaluate  $2a + 3ab$  if  $a = 5$  and  $b = 2$ , replace  $a$  with 5 and  $ab$  with  $5 \times 2$ , 5 groups of 2, or 10.



The result is 40.




3. a. Model  $a^2 + 2ab + b^2$ .



- b. Evaluate  $a^2 + 2ab + b^2$  if  $a = 4$  and  $b = 3$ .

- b. To evaluate  $a^2 + 2ab + b^2$  if  $a = 4$  and  $b = 3$ , replace  $a^2$  with  $3^2$ ,  $3 \times 3$  or 9, replace  $ab$  with  $4 \times 3$ , or 12 and replace  $b^2$  with  $4^2$ ,  $4 \times 4$  or 16.




The result is 49.



c. Evaluate  $a^2 + 2ab + b^2$  if  $a = 1$  and  $b = 0$ .

c. Evaluate  $a^2 + 2ab + b^2$  if  $a = 1$  and  $b = 0$ .  
Replace  $a^2$  with  $1^2$ ,  $1 \times 1$  or  $1$ . Replace  $ab$  with  $1 \times 0$  or  $0$ . Replace  $b^2$  with  $0^2$ ,  $0 \times 0$  or  $0$ .



The result is 1.







## EVALUATING EXPRESSIONS

### What Lies Ahead

In this section the student will learn to evaluate expressions without learning aids.

### Gathering Materials

The student will need these items for this section.



Computer Drill & Instruction:  
Mathematics, Level D, Lesson 5 of  
Pre-Algebra disk.

### Guiding the Student

- Have the student turn to Section 4 of the Module Booklet, and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Introductory Activities****Computer Alternative**

1. Do Lesson 5 of the Pre-Algebra disk from the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).

Remember if you need help press the SHIFT key and the



key.

**Print Alternative**

2. a. Evaluate  $n + 10$  if  $n = 8$ .  
  
b. Evaluate  $2p$  if  $p = 0.6$ .  
  
c. Evaluate  $5r - 2$  if  $r = 7$ .  
  
1. Computer-checked  
  
2. a. If  $n = 8$ , then  $n + 10$   
     $= 8 + 10$   
     $= 18$   
    b. If  $p = 0.6$ , then  $2p$   
     $= (2)(0.6)$   
     $= 1.2$   
    c. If  $r = 7$ , then  $5r - 2$   
     $= (5)(7) - 2$   
     $= 35 - 2$   
     $= 33$

**Suggested Answers**

d. Evaluate  $3 + 4s$  if  $s = 0.5$ .

d. If  $s = 0.5$ , then  $3 + 4s$

$$= 3 + 4(0.5)$$

$$= 3 + 2$$

$$= 5$$

e. Evaluate  $2n^2 + 1$  if  $n = 4$ .

e. If  $n = 4$ , then  $2n^2 + 1$

$$= 2(4^2) + 1$$

$$= 2(4 \times 4) + 1$$

$$= 2(16) + 1$$

$$= 32 + 1$$

$$= 33$$

f. Evaluate  $0.5n - 0.1$  if  $n = 2$ .

f. If  $n = 2$ , then  $0.5n - 0.1$

$$= (0.5)(2) - 0.1$$

$$= 1 - 0.1$$

$$= 0.9$$

### Guiding the Student

- Have the student read "Working Together" and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Practice Activities**

1. a. Evaluate  $3a + 2b$  if  $a = 2$  and  $b = 7$ .

**Suggested Answers**

1. a. If  $a = 2$  and  $b = 7$ , then  $3a + 2b$

$$\begin{aligned} &= 3(2) + 2(7) \\ &= 6 + 14 \\ &= 20 \end{aligned}$$

b. Evaluate  $p^2 - q^2$  if  $p = 4$  and  $q = 3$ .

b. If  $p = 4$  and  $q = 3$ , then  $p^2 - q^2$

$$\begin{aligned} &= 4^2 - 3^2 \\ &= (4)(4) - (3)(3) \\ &= 16 - 9 \\ &= 7 \end{aligned}$$

c. Evaluate  $a^2 + 5ab - 6b^2$  if  $a = 3$  and  $b = 2$ .

c. If  $a = 3$  and  $b = 2$ , then  $a^2 + 5ab - 6b^2$

$$\begin{aligned} &= 3^2 + (5)(3)(2) - 6(2^2) \\ &= (3)(3) + (5)(3)(2) - 6(2)(2) \\ &= 9 + 30 - 24 \\ &= 39 - 24 \\ &= 15 \end{aligned}$$

d. Evaluate  $3(s + t)$  if  $s = 0.2$  and  $t = 0.5$ .

d. If  $s = 0.2$  and  $t = 0.5$ , then  $3(s + t)$

$$\begin{aligned} &= 3(0.2 + 0.5) \\ &= 3(0.7) \\ &= 2.1 \end{aligned}$$

Remember rules for order of operations.

2. Evaluate the following for  $a = 4$ ,  $b = 3$ ,  $c = 2$ .

a.  $a + (b + c)$  and  $(a + b) + c$

2. a. If  $a = 4$ ,  $b = 3$ ,  $c = 2$ , then

$$\begin{aligned} & a + (b + c) \\ &= 4 + (3 + 2) \\ &= 4 + 5 \\ &= 9 \end{aligned}$$

$$\begin{aligned} & (a + b) + c \\ &= (4 + 3) + 2 \\ &= 7 + 2 \\ &= 9 \end{aligned}$$

and

b.  $a(b + c)$  and  $ab + ac$

b. If  $a = 4$ ,  $b = 3$ ,  $c = 2$ , then

$$\begin{aligned} & a(b + c) \\ &= 4(3 + 2) \\ &= 4 \times 5 \\ &= 20 \end{aligned}$$

$$\begin{aligned} & ab + ac \\ &= (4)(3) + (4)(2) \\ &= 12 + 8 \\ &= 20 \end{aligned}$$

and

c.  $(a + b)(a - b)$  and  $a^2 - b^2$

c. If  $a = 4$ ,  $b = 3$ ,  $c = 2$ , then

$$\begin{aligned} & (a + b)(a - b) \\ &= (4 + 3)(4 - 3) \\ &= (7)(1) \\ &= 7 \end{aligned}$$

$$\begin{aligned} & a^2 - b^2 \\ &= 4^2 - 3^2 \\ &= (4)(4) - (3)(3) \\ &= 16 - 9 \\ &= 7 \end{aligned}$$

and



d.  $\frac{ab + ac}{a}$  and  $b + c$

d. If  $a = 4$ ,  $b = 3$ ,  $c = 2$ , then

$$\frac{ab + ac}{a}$$

and

$$\begin{aligned} b + c \\ = 3 + 2 \\ = 5 \end{aligned}$$

$$= \frac{(4)(3) + (4)(2)}{4}$$

$$= \frac{12 + 8}{4}$$

$$= \frac{20}{4}$$

$$= 5$$

e.  $(a + b)(a + b)$  and  $a^2 + 2ab + b^2$

e. If  $a = 4$ ,  $b = 3$ ,  $c = 2$ , then

$$\begin{aligned} (a + b)(a + b) \\ = (4 + 3)(4 + 3) \\ = 7 \times 7 \\ = 49 \end{aligned}$$

$$\begin{aligned} a^2 + 2ab + b^2 \\ = 4^2 + (2)(4)(3) + 3^2 \\ = (4)(4) + (2)(4)(3) + (3)(3) \\ = 16 + 24 + 9 \\ = 49 \end{aligned}$$

3. What did you notice about question 2?

3. Notice each pair of expressions is equal.

### Guiding the Student

- Have the student read "Working Together" and do the Concluding Activities.

- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Concluding Activities**

1. Complete the following tables. (Evaluate the first 3 values and use a pattern to help you find the last 3 values.)

a.

$a$	$a + 2$
1	
2	
3	
4	
5	
6	

a.

$a$	$a + 2$	Pattern
1	3	
2	4	+1
3	5	+1
4	6	+1
5	7	+1
6	8	+1

b.

$b$	$b - 1$
1	
2	
3	
4	
5	
6	

b.

$b$	$b - 1$	Pattern
1	0	
2	1	+1
3	2	+1
4	3	+1
5	4	+1
6	5	+1

c.

$c$	$3c$
1	
2	
3	
4	
5	
6	

c.

$c$	$3c$	Pattern
1	2	
2	4	+2
3	6	+2
4	8	+2
5	10	+2
6	12	+2

d.

$d$	$3d + 2$
1	
2	
3	
4	
5	
6	

d.

$d$	$3d + 2$	Pattern
1	5	
2	8	+3
3	11	+3
4	14	+3
5	17	+3
6	20	+3

e.

$f$	$5f - 1$
1	
2	
3	
4	
5	
6	

e.

$f$	$5f - 1$	Pattern
1	4	
2	9	+5
3	14	+5
4	19	+5
5	24	+5
6	29	+5

2. Complete the following tables. (Evaluate the first 3 variables and use a pattern to help you find the last 3 values.)

a.

$a$	$a^2$
1	
2	
3	
4	
5	
6	

2. a.

$a$	$a^2$	Pattern
1	1	
2	4	+3
3	9	+5
4	16	+7
5	25	+9
6	36	+11

b.

$b$	$b^2 + 3$
1	
2	
3	
4	
5	
6	

b.

$b$	$b^2 + 3$	Pattern
1	4	
2	7	+ 3
3	12	+ 5
4	19	+ 7
5	28	+ 9
6	39	+ 11

c.

$c$	$c^2 - 1$
1	
2	
3	
4	
5	
6	

c.

$c$	$c^2 - 1$	Pattern
1	0	
2	3	+ 3
3	8	+ 5
4	15	+ 7
5	24	+ 9
6	35	+ 11



3. What did you notice about the patterns in questions 1 and 3?

3. In Question 1, the exponent of the variable was **one**, and you found the difference once to obtain the pattern. In Question 2, the exponent of the variable was **two**, and you found the difference **twice** to obtain the pattern.

The number of times you can find the difference is related to the exponent of the variable.




## EQUALITY AND EQUATIONS

### What Lies Ahead

In this section the student will develop his or her understanding of equality and equations.

### Gathering Materials

The student will need these items for this section.



- base 10 blocks
- cut out operation cards
- cylinders

### Guiding the Student

- Have the student turn to Section 5 of the Module Booklet, and read the “What Lies Ahead” box and the introductory paragraphs of “Working Together.”
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Introductory Activities**

1. What do the equal signs signal in each of the following?

a.  $5 \times 3 + 2 = 17$

b.  $\frac{10}{6} = \frac{5}{3} = 1\frac{2}{3}$

c.  $4 + 3 + 2 = 3 \times 3$

**Suggested Answers**

1. a.  $5 \times 3 + 2 = 17$

equal sign signals the answer

b.  $\frac{10}{6} = \frac{5}{3} = 1\frac{2}{3}$

equal signs signal different forms of same number


c.  $4 + 3 + 2 = 3 \times 3$

equal signs signal that expressions are identical in value

2. Model these equations using the cut-out equation scale and cut-out operation cards in the appendix, and the units from a set of base 10 blocks. Then perform the operations to verify that the scale is balanced.

a.  $2 + 3 + 5 = 10$


2. a.



$10 = 10$


b.  $6 = 2 \times 3$

b.



c.  $10 - 4 = 1 + 2 + 3$

c.






3. Are the following equations? Answer yes or no and explain why.

a.  $5 + 4 = 3 \times 3$


3. a.



Yes  $9 = 9$

b.  $9 - 1 = 1 + 2 + 3$

b.



No  $8 \neq 6$

4. Write several equations to show the relationship between 3, 5, and 8.

$$\begin{array}{l} 8 = 5 + 3 \\ 3 + 5 = 8 \\ 8 - 5 = 3 \end{array}$$

$$\begin{array}{l} 3 = 8 - 5 \\ 8 - 3 = 5 \\ 5 = 8 - 3 \end{array}$$

### Guiding the Student

- Have the student read “Working Together” and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Practice Activities**

Express each of the following as an equation.

1. Four oranges plus seven oranges results in eleven oranges.
2. Six shirts less than eight shirts is the same as two times one shirt.
3. You can buy five hamburgers with \$4 if each burger costs \$0.80.
4. You receive \$3.02 from \$5 if the purchase cost is \$1.98.
5. Vlad's mass was 80 kg. He lost 10 kg and now his mass is 70 kg.

**Suggested Answers**

1.  $4 + 7 = 11$
2.  $8 - 6 = 2 \times 1$
3.  $5 \times 0.80 = 4$
4.  $5 - 1.98 = 3.02$
5.  $80 - 10 = 70$

**Guiding the Student**

- Have the student read "Working Together" and do the Concluding Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Concluding Activities**

1. Translate the following. Use brackets where needed.

a. The square of nine, minus three, results in seventy-eight.

b. The square of, nine minus three, gives thirty-six.

c. The sum of eight and two, times six is sixty.

d. The sum of eight, and two times six equals twenty.

**Suggested Answers**

1. a.  $9^2 - 3 = 78$

b.  $(9 - 3)^2 = 36$

c.  $(8 + 2) \times (6) = 60$

d.  $8 + 2 \times 6 = 20$

2. Use brackets to make these statements true. The first one is done as an example.

a.  $39 \div 4 + 9 = 9 - 5 + 1$

2. a.  $39 \div (4 + 9) = 9 - (5 + 1)$

b.  $27 + 9 \div 3 = 3 + 3 \times 2$

b.  $(27 + 9) \div 3 = (3 + 3) \times 2$

c.  $29 - 4 \times 3 + 8 = 200 + 25 \times 3$

c.  $(29 - 4) \times (3 + 8) = 200 + 25 \times 3$

d.  $17 - 18 \div 2 - 4 = 3 + 1 \times 3 - 8$

d.  $17 - 18 \div 2 - 4 = (3 + 1) \times 3 - 8$

e.  $1 \times 84 \div 1 + 5 = 5 \times 2 + 4$

e.  $1 \times 84 \div (1 + 5) = 5 \times 2 + 4$





## ALGEBRAIC EQUATIONS


### What Lies Ahead

In this section the student will translate English algebraic equations. The student will use learning aids to model algebraic.

The learning aids will also be used to solve equations and to verify the solutions.

### Gathering Materials

The student will need these items for this section.



- base 10 blocks • cut-out equation scale
- cylinders • cut-out 'and' and 'take away' cards



*Computer Drill & Instruction: Mathematics, Level D (SRA), Lesson 6 of Pre-Algebra disk.*

### Guiding the Student

- Have the student turn to Section 6 of the Module Booklet, and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Introductory Activities****Print Alternative**

- Express each of the following as an equation.

a. Alnoor's age minus two is seventeen.

b. Three times Ruth's age gives eighteen.

c. A number decreased by six is the same as four times eight.

d. Jake's mass divided by nine is eight kilograms.

e. Twelve less than four times the number of people in the room is fifty-six.

**Computer Alternative**

- If you wish further practice translating a sentence into an equation, do Lesson 6 on the Pre-Algebra disk of *Computer Drill and Instruction: Mathematics, Level D* (SRA).

**Suggested Answers**

1. a.  $a - 2 = 17$

b.  $3r = 18$

c.  $n - 6 = 4 \times 8$

d.  $j \div 9 = 8$

or


$$\frac{j}{9} = 8$$

e.  $4n - 12 = 56$

- Computer-checked

3. Express the following as equations.

- a. Marie has \$85 in the bank at the end of December. This amount is \$5 more than double the amount she had at the beginning of December.



3. a.  $85 = 2a + 5$

amount of money in bank at the beginning of December

- b. Soccer practices last for 2 hours and Andrew missed 3 practices. Andrew spent 54 hours in team practices.



- b.  $2n - 2 \times 3 = 54$

total number of practices

or

$$54 + 2 - 3 = 2n$$

total number of practices

- c. The band has 12 people. If the choir gets one more person, there will be twice as many people in the choir as in the band.



c.  $c + 1 = 2 \times 12$



number of people in the choir

### Guiding the Student

- Have the student do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

### Practice Activities

Use the cut-out equation scale, operation cards, cylinders and base 10 blocks in the following.

1. a. Model  $m + 2 = 7$ .

- b. a. Model  $m + 2 = 7$ .



- b. Solve the equation. (Find the value that makes the equation true.)

- b. To solve the equation, think

What number plus 2 is 7?

$$\boxed{5} + 2 = 7$$

So  $m = 5$ .

- c. Verify the solution. (Test to check it is true for this value of the variable.)

- c. Verify the solution by replacing the cylinder with 5.




The result is 7 on both sides.

So  $m = 5$ .

2. a. Model  $w - 3 = 8$ .

2. a. Model  $w - 3 = 8$ .





- b. Solve the equation.

- b. To solve the equation, think


What number minus 3 is 8?

$$\boxed{11} - 3 = 8$$

So  $w = 11$ .

- c. Verify the solution.

- c. Verify the solution by replacing the cylinder with 11.



The result is 8 on both sides.

So  $w = 11$ .

3. a. Model  $4b = 8$ .



- b. Solve the equation.

- b. To solve the equation, think

4 times what number is 8?

$$4 \times \boxed{2} = 8$$

$$\text{So } b = 2.$$

- c. Verify the solution.

- c. Verify the solution. Replace  $b$  with 2.




The result is 8 on both sides.

$$\text{So } b = 2.$$

4. a. Model  $3x + 5 = 38$ .

4. a. Model  $3x + 5 = 38$ .



- b. Solve the equation.

- b. To solve the equation, think


5 more than 3 times what number is 38?

$$3 \times \boxed{11} + 5 = 38$$

So  $x = 11$ .

- c. Verify the solution.

- c. To check the solution, replace  $x$  with 11.




Both sides of the equation equal 38.

So  $x = 11$ .

5. a. Model  $4p - 2 = 50$ .

5. a. Model  $4p - 2 = 50$ .



b. Solve the equation.

b. To solve the equation, think


8 less than 4 times what number is 50?

$$4 \times \boxed{13} - 2 = 50$$

$$\text{So } p = 13.$$

c. Verify the solution.

c. Verify by replacing  $p$  with 13.



$$\text{So } p = 13.$$


### Guiding the Student

- Have the student read “Working Together” and do the Concluding Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Concluding Activities**

Write equations to describe these situations.

1. The stereo costs the money Stacey has saved plus \$25.



2. Tuan's mass decreased by 10 kg equal Ruth's mass.
3. The sum of three whole numbers is 24.
4. The length of the house is 3 more than twice the width.

**Suggested Answers**

1.  $c = s + 25$

2.  $t - 10 = r$

3.  $a + b + c = 24$

4.  $l = 2w + 3$

**Note**

Different variables can be used.



Use equations scale, “and” and “take away” cards, cylinders and base 10 blocks in the following.

5. a. Model  $a + 2 = c$ .



b. Find 2 solutions.

b. To solve the equation, think

What number plus 2 equals another number.

1	+	2	=	3
2	+	2	=	4
3	+	2	=	5

So  $a = 1$  and  $c = 3$ .  
 Or  $a = 2$  and  $c = 4$ .  
 Or  $a = 3$  and  $c = 5$ .

Many other solutions are possible.

c. Verify the solutions.

c. To verify the first solution, replace  $a$  with 1 and  $c$  with 3.



Both sides equal 3.

So  $a = 1$  and  $c = 3$ .

To verify the second solution, replace  $a$  with 2 and  $c$  with 4.




Both sides of the equation equals 4.

So  $a = 2$  and  $c = 4$ .

6. a. Model  $x + y + 3 = 8$ .

6. a. Model  $x + y + 3 = 8$ .



b. Find 2 solutions.

b. To solve the equation, think

3 more than the sum of  
what two numbers is 8?

$$\begin{array}{l} \boxed{1} + \boxed{4} = 8 \\ \boxed{2} + \boxed{3} = 8 \\ \boxed{3} + \boxed{2} = 8 \end{array}$$

So  $x = 1$  and  $y = 4$ .


Or  $x = 2$  and  $y = 3$ .

Or  $x = 3$  and  $y = 2$ .

Many other solutions are possible.

- c. Verify the solutions.


- c. To verify the first solution, replace  $x$  with 1 and  $y$  with 4.



Both sides of the equation equal 8.

So  $x = 1$  and  $y = 4$ .

- To verify the second solution, replace  $x$  with 2 and  $y$  with 3.




Both sides of the equation equal 8.

So  $x = 2$  and  $y = 3$ .

7. a. Model  $2a + b = 7$ .

7. a. Model  $2a + b = 7$ .



b. Find 2 solutions.

b. To solve the equation, think

2 times what number plus  
what other number is 7?


$$\begin{array}{l} 2 \times \boxed{3} + \textcircled{1} = 7 \\ 2 \times \boxed{2} + \textcircled{3} = 7 \\ 2 \times \boxed{1} + \textcircled{5} = 7 \end{array}$$

So  $a = 3$  and  $b = 1$ .  
Or  $a = 2$  and  $b = 3$ .  
Or  $a = 1$  and  $b = 5$ .

There are many other solutions.

- c. Verify the solution.


- c. To verify the first solution, replace  $a$  with 3 and  $b$  with 1.



Both sides of the equation equal 7.

So  $a = 3$  and  $b = 1$ .

To verify the second solution, replace  $a$  with 2 and  $b$  with 3.




Both sides of the equation equal 7.

So  $a = 2$  and  $b = 3$ .



8. a. Model  $a + b = 16$ .



- b. Solve if  $a$  is 3 times  $b$ .


- b. To solve the equation if  $a$  is 3 times  $b$ , use guess and check.

$$\boxed{12} + \textcircled{4} = 16$$

So  $a = 12$  and  $b = 4$ .

- c. Verify the solution.

- c. To verify the solution, replace  $a$  with 12 and  $b$  with 4.



Both sides of the equation equal 16.

So  $a = 12$  and  $b = 4$ .


## SOLVING EQUATIONS

### What Lies Ahead

In this section the student will solve equations and verify the solutions without using learning aids.

### Gathering Materials

The student will need this item for this section.



### Guiding the Student

- Have the student turn to Section 7 in the Module Booklet and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Introductory Activities**

Solve each of the following by guessing and checking. Then verify each solution.

1.  $12 + a = 15$

**Suggested Answers**

1. To solve  $12 + a = 15$ , think

12 plus what number  
is 15?

$$12 + \boxed{3} = 15$$

$$a = 3$$

**Check**

LHS	RHS
$12 + a$	15
$= 12 + 3$	
$= 15$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } a = 3.$$

2.  $20n = 200$

2. To solve  $20n = 200$ , think

20 times what number  
is 200?

$$20 \times \boxed{10} = 200$$

$$n = 10$$

**Check**

LHS	RHS
$20n$	200
$= 20 \times 10$	
$= 200$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } n = 10.$$

3.  $b - 5 = 7$

3. To solve  $b - 5 = 7$ , think

What number minus 5 is 7?

$\boxed{12} - 5 = 7$

$b = 12$

Check

LHS	RHS
$b - 5$	7
$= 12 - 5$	
$= 7$	

LHS = RHS

So  $b = 12$ .

4.  $3a + 2 = 14$

4. To solve  $3a + 2 = 14$ , think

2 more than 3 times what number is 14?

$3 \times \boxed{4} + 2 = 14$

$a = 4$

Check

LHS	RHS
$3a + 2$	14
$= (3)(4) + 2$	
$= 12 + 2$	
$= 14$	

LHS = RHS

So  $a = 4$ .

5.  $5a - 3 = 7$

5. To solve  $5a - 3 = 7$ , think

3 less than 5 times  
what number is 7?

$$\begin{aligned} 5 \times \boxed{2} - 3 &= 7 \\ a &= 2 \end{aligned}$$

Check	
LHS	RHS
$5a - 3$	7
$= 5(2) - 3$	
$= 10 - 3$	
$= 7$	

$LHS = RHS$

So  $a = 2$ .

Guiding the Student

- Have the student read “Working Together” and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.




## Practice Activities

Write equations for the following. Then solve using guess and check method. Be sure to check the solution.

1. Five times the cost is 24.95. What is the cost?



2. The number of children in the class less three is 35. How many children are there in the class?



## Suggested Answers

$$\begin{aligned}
 1. \quad 5c &= 24.95 \\
 5 \times \boxed{4.99} &= 24.95 \\
 c &= 4.99
 \end{aligned}$$

Check	
LHS	RHS
$5c$	24.95
$= 5 (4.99)$	
$= 24.95$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } c = 4.99.$$

The cost is \$4.99

$$\begin{aligned}
 2. \quad n - 3 &= 35 \\
 \boxed{38} - 3 &= 35 \\
 n &= 38
 \end{aligned}$$

Check	
LHS	RHS
$n - 3$	35
$= 38 - 3$	
$= 35$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } n = 38.$$

There are 38 children.

3. Two times the number of goals plus four is 30. What is the number of goals?

$$3. \quad 2n + 4 = 30$$

$$2 \times \boxed{13} + 4 = 30$$

$$n = 13$$

Check

LHS	RHS
$2n + 4$	30
$= 2 \times 13 + 4$	
$= 26 + 4$	
$= 30$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } n = 13.$$

The number is 13.



### Guiding the Student

- Have the student do the Concluding Activities.

- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.

**Concluding Activities**

Write an equation for the following. Then solve using guess and check methods. Verify the solutions.

1. Matt is eight years older than Jon. Together their ages total 29 years. How old are they?



2. The sum of two consecutive whole numbers is 25. What are the whole numbers? (Consecutive numbers are in order.)

**Suggested Answers**

1.  $m + j = 29$

$$\boxed{15} + \boxed{14} = 29$$

$$m = 15$$

$$j = 14$$

**Check**

15 is one year more than 14 and

LHS	RHS
$15 + 14$	29
$= 29$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } m = 15 \text{ and } j = 14.$$

Matt is 15 and Jon is 14.

2.  $a + b = 25$

$$\boxed{12} + \boxed{13} = 25$$

$$a = 12$$

$$b = 13$$

**Check**

12 and 13 are consecutive numbers and

LHS	RHS
$12 + 13$	15
$= 15$	

$$\text{LHS} = \text{RHS}$$

$$\text{So } a = 12 \text{ and } b = 13.$$

The numbers are 12 and 13.

3. Stu answered 30 questions. He answered four times as many questions correctly as he did incorrectly. How many questions did he answer correctly?



3.  $c + i = 30$

$$\boxed{24} + \boxed{6} = 30$$

$$c = 24$$

$$i = 6$$

### Check

24 is 4 times 6 and

LHS	RHS
$c + i$	30
$= 24 + 6$	
$= 30$	

LHS = RHS

So  $c = 24$  and  $i = 6$ .

Stu answered 24 correctly and 6 incorrectly.

4. A 5.6 m rope is cut into two pieces. One piece is three times as long as the other. What are the length of the pieces?



4.  $f + s = 5.6$

$$\boxed{4.2} + \boxed{1.4} = 5.6$$

$$f = 4.2$$

$$s = 1.4$$

### Check

4.2 is 3 times 1.4 and

LHS	RHS
$f + s$	5.6
$= 4.2 + 1.4$	
$= 5.6$	

LHS = RHS

So  $f = 4.2$  and  $s = 1.4$ .

The first piece is 4.2 m and the second piece is 1.4 m.

## DESCRIBING RELATIONS



### What Lies Ahead

In the summary the student will learn to describe a relationship between pairs of numbers by using words.

- writing an equation
- writing ordered pairs
- plotting points on a graph

### Gathering Materials

The student will need these items for this section.



*Computer Drill & Instruction: Mathematics, Level D SRA, Lesson 21 of Pre-Algebra disk.*


### Guiding the Student

- Have the student turn to Section 8 of the Module Booklet and read the "What Lies Ahead" box and the introductory paragraphs of "Working Together."
- Then have the student do the Introductory Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.



# Introductory Activities

1. Write the coordinates of the points marked.




# Suggested Answers

Point	Coordinates
A	(0,6)
B	(-2,4)
C	(0,4)
D	(2,4)
E	(-3,2)
F	(0,2)
G	(3,2)
H	(-4,0)
I	(0,0)
J	(4,0)
K	(-5,-2)
L	(0,-2)
M	(5,-2)
N	(0,-4)



2. Each pair of numbers at the right of the page stands for a point on the coordinates below. Above each pair of numbers, write the letter that appears at that point.<sup>1</sup>



I	N	E	V	E	R
(6,3)	(1,5)	(-4,6)	(-6,3)	(4,0)	(-5,0)

K	N	E	W	E
$(-7, -8)$	$(-1, -5)$	$(7, -2)$	$(2, -4)$	$(0, -3)$

B	O	T	H
(0,0)	(8,7)	(-6,-6)	(-3,2)

L	I	V	E	D	O	N
(5, -5)	(-8, -2)	(0, -7)	(-5, -4)	(-1, 0)	(3, -8)	(-2, -3)

T	H	E	S	A	M	E
$(-8, 8)$	$(0, 8)$	$(8, 0)$	$(1, -1)$	$-3, -8)$	$(-7, 1)$	$(2, 1)$

B	L	O	C	K
(1, -6)	(4, -6)	(-1, 7)	(8, -6)	(3, 8)



3. Plot each ordered pair on the graph. Connect the points in order. A picture will develop<sup>1</sup>.


Start	(-6, -4)	(10, -4)	(8, 0)	(-8, 6)	(12, 3)
(-6, 6)	(-4, -4)	(12, -4)	(9, 0)	(-7, 6)	(12, 4)
(-4, 6)	(-3, -3)	(13, -3)	(9, 1)	(-7, 5)	(12½, 4)
(-4, 10)	(-3, -1)	(13, -1)	(13, 1)	(-6, 5)	(12½, 3)
(-6, 10)	(-4, 0)	(12, 0)	(13, 3)	(-6, 2)	Lift pencil.
(-6, 6)	(-6, 0)	(10, 0)	(11, 3)	(-8, 2)	
Lift pencil.	(-7, -1)	(9, -1)	(11, 5)	(-8, 1)	(5⅓, 3)
(-3, 5)	(-7, -3)	(9, -3)	(6, 5)	(-9, 1)	(4, 4)
(-1, 5)	(-6, -4)	(10, -4)	(6, 11)	(-9, 0)	Lift pencil.
(-1, 10)	Lift pencil.	Lift pencil.	(4⅔, 11)	Lift pencil.	
(-3, 10)	(0, 3⅓)	(-9, 0)	(4⅔, 12)		(4⅔, 4⅔)
(-3, 5)	(1⅓, 3⅓)	(-7, 0)	(-7⅔, 12)	(7, 5)	(3⅓, 3⅓)
Lift pencil.	(1⅓, 2⅔)	(-7, 1)	(-9, 11)	(7, 6)	Stop
	(2⅔, 2)	(-3, 1)	(-9, 7)	(8, 6)	
	(2⅔, 2)	(-3, 0)	(-8, 7)	(8, 5)	
	(5⅓, 2)	(6, 0)		Lift pencil.	
	(5⅓, 10)	(6, -2)			
	(4, 10)	(8, -2)			
	(4, 11)				
	(0, 11)				
	(0, 3⅓)				
Lift pencil.					

<sup>1</sup>Arithmetic Teacher, December, 1985.



4. Plot these points on the 3 number planes provided. Join the points in order.  $(-4,0)$ ,  $(-3,3)$ ,  $(-2,5)$ ,  $(0,7)$ ,  $(2,8)$ ,  $(3,8)$ ,  $(5,7)$ ,  $(7,5)$ ,  $(8,3)$ ,  $(9,0)$ ,  $(3,0)$ ,  $(3,-6)$ ,  $(2,-8)$ ,  $(0,-7)$ ,  $(0,-6)$ ,  $(1,-7)$ ,  $(2,-7)$ ,  $(2,0)$ ,  $(-4,0)$ .





5. Why are the pictures in question 5 different?

5. The second picture is distorted. The third picture is wider because on the horizontal scale the scale is changed.

### Guiding the Student

- Have the student read “Working Together” and do the Practice Activities.
- Afterwards help the student check the answers and correct any errors. Suggested answers are on the next page of this booklet.



Practice Activities

Suggested Answers

1. Janice likes to go horseback riding. How is the cost related to the riding time?



riding time in hours ( $t$ )	relation	cost in dollars ( $c$ )
1	$4 + 2 \times 1$	6
2	$4 + 2 \times 2$	8
3	$4 + 2 \times 3$	10
4	$4 + 2 \times 4$	12
5	$4 + 2 \times 5$	14

Describe the relationship several ways.

- a. Write words to describe the relation.  
b. Write an equation to describe the relation.


1. a. The cost is \$4 plus \$2 for every hour of riding time.  
b.  $c = 4 + 2t$

c. Write the ordered pairs.

d. Describe the relationship using number lines.


c.  $(1,6)$ ,  $(2,8)$ ,  $(3,10)$ ,  $(4,12)$ ,  $(5,14)$

d.



e. Describe the relationship using a graph.

e.



2. How is Rajah's hourly pay related to Nadia's pay?

Nadia's pay ( $f$ )	relation	Rajah's pay ( $g$ )
5	5 – 1	4
6	6 – 1	5
7	7 – 1	6
8	8 – 1	7
9	9 – 1	8


Describe the relationship several ways.

- a. Write words to describe the relation.
- b. Write an equation to describe the relation.
- c. Write the ordered pairs.

- 2. a. Rajah's hourly pay is \$1 less than Nadia's.
- b.  $r = n - 1$
- c. (5,4), (6,5), (7,6), (8,7), (9,8)


d. Use number lines to describe the relation.

d.



- e. Use a graph to describe the relation.

e.



3. How is the length (metres) of the shed related to the width (metres)?

width in metres ( $w$ )	relation	length in metres ( $l$ )
1	$2 \times 1 + 3$	5
2	$2 \times 2 + 3$	7
3	$2 \times 3 + 3$	9
4	$2 \times 4 + 3$	11
5	$2 \times 5 + 3$	13


Describe the relationship several ways.

- Describe the relation using words.
  - Describe the relation using an equation.
  - Describe the relation using ordered pairs.
3. a. The length is twice the width plus 1 m.  
b.  $l = 2w + 1$   
c. (1,5), (2,7), (3,9), (4,11), (5,13)




d. Describe the relation using number lines.

d.



e. Describe the relation using a graph.






## SUMMARY

### What Lies Ahead

The summary helps the student to review what he or she has learned in the Module and prepare for the assignment in the Module Conclusion.

### Gathering Materials

The student will need these items for this section.



- base 10 blocks
- cylinders
- cut-out equation scale and operation cards

### Guiding the Student

- Have the student turn to Section 9 in the Module Booklet and read the Summary.
- After the student has reviewed the lists of skills learned and corrected any errors in the pretest, he or she is ready for the assignment in the Module Conclusion.




## MODULE CONCLUSION

### What Lies Ahead

The student is now ready to do the assignment in the Assignment Booklet. The student will be graded on the work done in this booklet.

### Gathering Materials

The student will need the following items.



- base 10 blocks
- cylinders
- cut-out equation scale and operation cards

### Guiding the Student

- Have the student complete the Assignment. The student may refer to the notes, but the Assignment must be done independently.
- Afterwards you should check the Assignment and give the student a grade and feedback.

**Suggested Answers to Assignment Booklet****Part 1: Multiple Choice Questions**

Each of the following questions has four suggested answers, one of which is better than the others. Indicate your choice by writing the letter in the blank on the response page at the right.

1. Which expressions represents the phrase “a number decreased by eight”?
  - a.  $8 - n$
  - b.  $\frac{n}{8}$
  - c.  $\frac{8}{n}$
  - d.  $n - 8$
  
2. Which expression represents the phrase “seven more than twice a number”?
  - a.  $7 \times 2n$
  - b.  $7 + 2n$
  - c.  $7 \times (2 + n)$
  - d.  $7 \times (n + n)$
  
3. Which expression represents the phrase “three times the difference of eight and a number”?
  - a.  $3 \times n - 8$
  - b.  $3 \times 8 - n$
  - c.  $3 \times 8n$
  - d.  $3 \times (n - 8)$
  
4. Karl is twice as old as his sister. How old is Karl if his sister is  $n$  years old?
  - a.  $2 + n$
  - b.  $2n$
  - c.  $\frac{n}{2}$
  - d.  $\frac{2}{n}$



**Part 1 Response Page**1.     d    2.     b    3.     d    4.     b


**Part 1 (continued)**

5. Mr. Lavers gained 5 kg last year. What is Mr. Lavers' mass if his mass last year was  $m$  kg?
- a.  $m + 5$
  - b.  $5m$
  - c.  $\frac{m}{5}$
  - d.  $\frac{5}{m}$
6. Which is the value of  $12n$  when  $n = 6$ ?
- a. 2
  - b. 6
  - c. 72
  - d. 126
7. Which is the value of  $4t - 3$  when  $t = 5$ ?
- a. 17
  - b. 6
  - c. 7
  - d. 12
8. Which is the value of  $3a + 5b$  when  $a = 2$  and  $b = 3$ ?
- a. 85
  - b. 21
  - c. 19
  - d. 90

**Part 1 Response Page (continued)**5.     a    6.     c    7.     a    8.     b

**Part 1 (continued)**

9. Which equation is modeled?



- a.  $6 + b = 24$
- b.  $\frac{b}{6} = 24$
- c.  $b = 24$
- d.  $6b = 24$

10. The solution for Question 9 is

- a.  $b = 2$
- b.  $b = 3$
- c.  $b = 4$
- d.  $b = 5$

11. Which equation describes this situation?


- a.  $(4x)(9) = 41$
- b.  $x + 9 = 41$
- c.  $4x + 9 = 41$
- d.  $4 + 9x = 41$

Part 1 Response Page (continued)

9.   d  

10.   c  

11.   c  




**Part 1 (continued)**

12. The solution for Question 11 is

- a.  $x = 7$
- b.  $x = 8$
- c.  $x = 9$
- d.  $x = 10$

13. Which equation describes this situation?



- a.  $ab + 2 = 10$
- b.  $2ab = 10$
- c.  $a + b + 2 = 10$
- d.  $a + 2b = 10$

14. Which equation represents this sentence “A number is three more than eight”?

- a.  $n = 3 + 8$
- b.  $n = 3 \times 8$
- c.  $n + 3 = 8$
- d.  $n \times 3 = 8$

15. Which equation represents this sentence “Two more than three times a number results in six plus the same number”?

- a.  $2 + 3n + 6 = n$
- b.  $2 + 3n = 6n$
- c.  $2 + 3n = 6 + n$
- d.  $2 = 3n + 6n$

**Part 1 Response Page (continued)**12.   b  13.   c  14.   a  15.   c



**Part 1 (continued)**

16. Which equation has the solution  $x = 2$ ?

- a.  $5x + 2 = 8$
- b.  $2x + 1 = 11$
- c.  $5x - 4 = 6$
- d.  $2x - 7 = 3$

17. Which equation does **not** have the solution  $y = 3$ ?

- a.  $y - 1 = 2$
- b.  $2y + 1 = 5$
- c.  $5y = 15$
- d.  $4y - 2 = 10$

18. Which equation represents the number of laps ( $\ell$ ) in  $f$  minutes?


Time in Minutes ( $f$ )	Number of Laps ( $\ell$ )
1	4
2	8
3	12
4	16

- a.  $\ell = f + 4$
- b.  $\ell = f - 4$
- c.  $\ell = \frac{f}{4}$
- d.  $\ell = 4f$

**Part 1 Response Page (continued)**16.   c  17.   b  18.   d

**Part 1 (continued)**

19. Which point has coordinates  $(-1, -2)$ ?




- a. M
- b. N
- c. O
- d. P

**Part 1 Response Page (continued)**19.     c

**Part 1 (continued)**

20. State the coordinates of Point P.



- a. (5,2)
- b. (-5,2)
- c. (2,-5)
- d. (5,-2)

55

**Part 2: Short-Answer Questions**

When answering the following questions, give complete answers and show all necessary work.

6

1. Write a mathematical expression to describe the number of jelly beans altogether in each of the following.

a.



b.



(Each jar contains the same number of jelly beans.)

c.





(Each jar of the same size has the same number of jelly beans.)

2

2. Write a mathematical expression to describe the length of the longer pipe.

← 35 cm →



**Part 1 Response Page (continued)**20.     d    **Total for Part 1 = \_\_\_\_\_ (maximum possible: 40 marks)**



**Part 2 Response Page**

1. a.  $x$

b.  $3x$

c.  $2x + 3y$

**Note**

Different variables may be used.

2.  $35 + n$

**Note**

Different variables may be used.

**Part 2 (continued)**

- 10                      3. Translate each statement into a mathematical expression using symbols.
- a. a number increased by five
  - b. one-third of a number
  - c. a number divided by four, then added to fifteen
  - d. a number less than five
  - e. a number doubled and then subtracted from nine
- 8                      4. Evaluate each expression using  $b = 2$ .
- a.  $b + 3$
  - b.  $b - 2$
  - c.  $3b - 5$
  - d.  $5b + 7$
- 6                      5. Evaluate the following for  $k = 4$  and  $m = 3$ .
- a.  $3k - 2m$
  - b.  $k^2 - m^2$
  - c.  $(m + 2)(k - 3)$
- 8                      6. Solve each equation by guessing and checking.
- a.  $7a = 63$
  - b.  $5 + h = 13$
  - c.  $3f - 2 = 4$
  - d.  $\frac{36}{m} = 9$

**Part 2 Response Page (continued)**

3. a.  $n + 5$

b.  $\frac{1}{3} \times n$  or  $\frac{1}{3} n$

c.  $n \div 4 + 15$  or  $\frac{n}{4} + 15$

d.  $5n - 7$

e.  $2n - 9$

4. a. 5

b. 0

c. 1

d. 17

5. a. 6

b. 5

c. 0

6. a.  $a = 9$

b.  $h = 8$

c.  $f = 2$

d.  $m = 4$

**Part 2 (continued)****13**

7. Plot the following points on each grid. Join the points with a straightedge. A picture will result.


Start

 $(-2, 5)$  $(-4, 2)$  $(-7, 2)$  $(-5, 0)$  $(-6, -2)$  $(-2, -2)$  $(-2, -5)$  $(-2, -2)$  $(2, -2)$  $(1, 0)$  $(3, 2)$  $(0, 2)$  $(-2, 5)$ 

Stop

**Part 2 Response Page (continued)**

7.



**Part 2 (continued)****7. (continued)**

Plot the following points on the grid. Join the points with a straightedge. A picture will result.

Start

$(-2, 5)$

$(-4, 2)$

$(-7, 2)$

$(-5, 0)$

$(-6, -2)$

$(-2, -2)$

$(-2, -5)$

$(-2, -2)$

$(2, -2)$

$(1, 0)$


$(3, 2)$

$(0, 2)$

$(-2, 5)$

Stop

## Part 2 Response Page (continued)





**Part 2 (continued)****7. (continued)**

Plot the following points on the grid. Join the points with a straightedge. A picture will result.

Start

$(-2, 5)$

$(-4, 2)$

$(-7, 2)$

$(-5, 0)$

$(-6, -2)$

$(-2, -2)$

$(-2, -5)$

$(-2, -2)$

$(2, -2)$

$(1, 0)$


$(3, 2)$

$(0, 2)$

$(-2, 5)$

Stop

## Part 2 Response Page (continued)



**Part 2 (continued)****2**

8. Why are the pictures in Question 7 different?

**Part 2 Response Page (continued)**

8. The picture is lengthened when the scale on the vertical axis is increased. The picture is widened when the scale on the horizontal axis is increased. The picture is distorted when the scales are not the same.

**Total for Part 2 = \_\_\_\_\_ (maximum possible: 55 marks)**

25

**Part 3: Problems**

When answering, give complete answers and show all the work.

10

1. In the following, numbers are missing. Fill in the numbers in the boxes.

a.

$n$	<input type="text"/> $n$
1	3
2	6
3	9
4	12
5	<input type="text"/>

b.

$n$	<input type="text"/> $n$ + <input type="text"/>
1	5
2	6
3	7
4	8
5	<input type="text"/>

Part 3 Response Page

1. a.

$n$	$\boxed{3} n$	Pattern
1	3	} +3 } +3 } +3 } +3
2	6	
3	9	
4	12	
5	$\boxed{15}$	

b.

$n$	$\boxed{1} n + \boxed{4}$	Pattern
1	5	} +1 } +1 } +1 } +1
2	6	
3	7	
4	8	
5	$\boxed{9}$	

**Part 3 (continued)**

c.

$n$	<input type="text"/> $n$ + <input type="text"/>
1	3
2	5
3	7
4	9
5	<input type="text"/>

d.

$n$	<input type="text"/> $\times n^2$
1	2
2	8
3	18
4	32
5	<input type="text"/>



Part 3 Response Page (continued)

c.

$n$	$2n + 1$
1	3
2	5
3	7
4	9
5	11

+ 2

+ 2

+ 2

+ 2

d.

$n$	$2 \times n^2$
1	2
2	8
3	18
4	32
5	50

+ 6

+ 10

+ 14

+ 18

+ 4

+ 4

+ 4

**Part 3 (continued)**

- 5                      2. Did you know the number of chirps of a cricket (in a minute) is related to the temperature (in Celsius). The temperature is the same as the number of chirps divided by eight and increased by five. Find the temperature if there are 96 chirps of a cricket in one minute.
- 5                      3. Seven more than five times a number is 42. What is the number?
- 5                      4. One number is six more than another number. The sum of the numbers is 80. What are the numbers?

**Part 3 Response Page (continued)**

2. The temperature is  $17^{\circ}\text{C}$ .
3. The number is 7.
4. The numbers are 37 and 43.

**Note**

Be sure student shows his or her work and explains how the answers were found. Any logical method is acceptable.

**Total for Part 3 = \_\_\_\_\_ (maximum possible: 25 marks)**





This booklet cannot be purchased separately; the Learning Facilitator's Manual for Mathematics 7 is available only as a complete set.

